



BINS VORRATSBEHÄLTER BACS DE CONSERVATION CONTENITORI DI GHIACCIO



SIMAG
SERIE R

BINS

VORRATSBEHÄLTER

**BACS DE
CONSERVATION**

**CONTENITORI DI
GHIACCIO**


R 100



R 190



R 250




R 130



Capacità contenitore Kg
Bin Capacity Kg
Behälterkapazität Kg
Capacité bac de conservation Kg

168


R 150



Capacità contenitore Kg
Bin Capacity Kg
Behälterkapazität Kg
Capacité bac de conservation Kg

181


R 300



Capacità contenitore Kg
Bin Capacity Kg
Behälterkapazität Kg
Capacité bac de conservation Kg

406

R 400



Capacità contenitore Kg
Bin Capacity Kg
Behälterkapazität Kg
Capacité bac de conservation Kg

478

BINS VORRATSBEHÄLTER BACS DE CONSERVATION CONTENITORI DI GHIACCIO

RC CART



Tabella combinazioni • Combination table • Kombinationen • Tableau des combinaisons


Modello Model Modell Modèle	R 100	R 130	R 150	R 190	R 250	R 300	R 400	RC 200	RC 300	RC 600
Kg/24h	129	168	181	243	252	406	478	210 with cart	391 with cart	759 with cart
SV 145	154	■	■	+CBT30EMCD	+CBT30EMCD			■	■	■
SV 205	225	■	■	+CBT30EMCD	+CBT30EMCD			■	■	■
SV 225	240			■	■	+CBT42EMCD	+CBT48FMCD	+CBT52FMCD	■	■
SV 325	320			■	■	+CBT42EMCD	+CBT48FMCD	+CBT52FMCD	■	■
SV 395	430			■	■	+CBT42EMCD	+CBT48FMCD	+CBT52FMCD	■	■
SV 545	465			■	■	+CBT42EMCD	+CBT48FMCD	+CBT52FMCD	■	■
SPN 125	120	■	■	+CBT30EFSD	+CBT30EFSD	+CBT42EFSD		■	■	■
SPN 255	200	■	■	+CBT30EFSD	+CBT30EFSD	+CBT42EFSD		■	■	■
SPN 405	330	+CBT22EFCD	+CBT22EFCD	+CBT30EFSD	+CBT30EFSD	+CBT42EFSD	+CBT48FMCD	+CBT52FMCD	■	■
SPN 605	600	+CBT22EFCD	+CBT22EFCD	+CBT30EFSD	+CBT30EFSD	+CBT42EFSD	+CBT48FMCD	+CBT52FMCD	■	■
SPN 1205	1200						+CBT48FMCD	+CBT52FMCD	■	■
SNM 300	330	+CBT22EFCD	+CBT22EFCD	+CBT30EFSD	+CBT30EFSD	+CBT42EFSD	+CBT48FMCD	+CBT52FMCD	■	■
SNM 500	600	+CBT22EFCD	+CBT22EFCD	+CBT30EFSD	+CBT30EFSD	+CBT42EFSD	+CBT48FMCD	+CBT52FMCD	■	■

■ Accoppiamento diretto
Direct coupling
Direkt Verbindung
Coulage direct

+ Accessorio richiesto
Accessory needed
Zubehör gebraucht
Accessoire nécessaire

- Caratteristiche soggette a variazione senza preavviso
- Technical features subject to change without notice
- Änderungen vorbehalten
- Caractéristiques soumises à des modifications sans avis

RC 200



RC 300



RC 600

